



Geophysical Fluid Dynamics

Lecture 11

Sahraei

Department of Physics,

Razi University

<https://sci.razi.ac.ir/~sahraei>

Equations of motion on rotating earth

In scalar form the equations of motion for each direction become:

(East-West equation)	$\frac{du}{dt} + \frac{uv \tan \phi}{a} + \frac{uw}{a} = -\frac{1}{\rho} \frac{\partial p}{\partial x} + K \frac{\partial^2 u}{\partial z^2} + 2\Omega v \sin \phi - 2\Omega w \cos \phi$
(North-South equation)	$\frac{dv}{dt} + \frac{u^2 \tan \phi}{a} + \frac{vw}{a} = -\frac{1}{\rho} \frac{\partial p}{\partial y} + K \frac{\partial^2 v}{\partial z^2} - 2\Omega u \sin \phi$
(Up-Down equation)	$\frac{dw}{dt} + \frac{u^2 + v^2}{a} = -\frac{1}{\rho} \frac{\partial p}{\partial z} - g + 2\Omega u \cos \phi$
	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <p style="color: red; margin: 0;">↑</p> <p style="color: red; margin: 0;">Acceleration</p> </div> <div style="text-align: center;"> <p style="color: blue; margin: 0;">↑</p> <p style="color: blue; margin: 0;">Correction terms for spherical coordinate system</p> </div> <div style="text-align: center;"> <p style="color: red; margin: 0;">↑</p> <p style="color: red; margin: 0;">Pressure gradient Force</p> </div> <div style="text-align: center;"> <p style="color: blue; margin: 0;">↑</p> <p style="color: blue; margin: 0;">Friction</p> </div> <div style="text-align: center;"> <p style="color: red; margin: 0;">↑</p> <p style="color: red; margin: 0;">Effective Gravity</p> </div> <div style="text-align: center;"> <p style="color: blue; margin: 0;">↑</p> <p style="color: blue; margin: 0;">Coriolis Force</p> </div> </div>

The complete momentum equations on a spherical rotating earth

$$\frac{du}{dt} - \frac{uv \tan \phi}{a} + \frac{uw}{a} = -\frac{1}{\rho} \frac{\partial p}{\partial x} + K \frac{\partial^2 u}{\partial z^2} + 2\Omega v \sin \phi - 2\Omega w \cos \phi$$

$$\frac{dv}{dt} + \frac{u^2 \tan \phi}{a} + \frac{vw}{a} = -\frac{1}{\rho} \frac{\partial p}{\partial y} + K \frac{\partial^2 v}{\partial z^2} - 2\Omega u \sin \phi$$

$$\frac{dw}{dt} - \frac{u^2 + v^2}{a} = -\frac{1}{\rho} \frac{\partial p}{\partial z} - g + 2\Omega u \cos \phi$$

FOR SYNOPTIC SCALE MOTIONS.....

WHICH TERMS ARE LARGE AND IMPORTANT?

WHICH TERMS ARE SMALL AND INSIGNIFICANT?

Scale Analysis of the Equations of Motion

Scale analysis, or scaling, is a convenient technique for estimating the magnitudes of various terms in the governing equations for a particular type of motion.

Elimination of terms on scaling considerations simplify mathematics and allows to eliminate and filter unwanted types of motions, like sound waves.

In order to simplify the motion equations for synoptic scale motions we define following characteristic scales of the field variables based on observed values for midlatitude synoptic systems.

$U \sim 10 \text{ m s}^{-1}$ horizontal velocity scale

$W \sim 0.01 \text{ m s}^{-1}$ vertical velocity scale

$L \sim 10^6 \text{ m}$ horizontal length scale

$H \sim 10^4 \text{ m}$ vertical length scale

$p \sim 1000 \text{ hPa}$ (10^5 Pa) mean surface pressure

$\delta P / \rho \sim 10 \text{ hPa} / 1 \sim (10^3 \text{ m}^2 \text{ s}^{-2})$ pressure horizontal variation scale

$L / U \sim 10^5 \text{ s}$ time scale

$d/dt = 1/\Delta t \sim U/L \sim 10^{-5} \text{ s}^{-1}$

Scale Analysis of the Horizontal Momentum Equation

It is possible to scale each term of each horizontal equation using previously defined scales and the definition of the Coriolis parameter:

$$\Omega = 7.27 \times 10^{-5} \text{ s}^{-1}$$

$$f_0 = 2\Omega \sin \varphi_0 = 2\Omega \cos \varphi_0 = 10^{-4} \text{ s}^{-1}$$

density	ρ	1 kg m^{-3}
kinematic viscosity	ν	$1.46 \times 10^{-5} \text{ m}^2 \text{ s}^{-1}$
omega	Ω	$7.292 \times 10^{-5} \text{ rad s}^{-1}$
latitude	ϕ	45°
radius of Earth	a	$6.378 \times 10^6 \text{ m}$

$$x - eq. \quad \frac{du}{dt} - \frac{uv \tan \phi}{a} + \frac{uw}{a} = -\frac{1}{\rho} \frac{\partial p}{\partial x} + 2\Omega v \sin \phi - 2\Omega w \cos \phi + F_{rx}$$

$$y - eq. \quad \frac{dv}{dt} + \frac{u^2 \tan \phi}{a} + \frac{vw}{a} = -\frac{1}{\rho} \frac{\partial p}{\partial y} - 2\Omega u \sin \phi + F_{ry}$$

$$Scales \quad \frac{U^2 \approx 10^2}{L \approx 10^6} \quad \frac{U^2 = 10^2}{a = 10^7} \quad \frac{UW}{a} \quad \frac{\delta P}{\rho L} \quad f_0 U = \quad f_0 W \quad \frac{\nu U}{H^2}$$

$$(ms^{-2}) \quad 10^{-4} \quad 10^{-5} \quad 10^{-8} \quad 10^{-3} \quad 10^{-3} \quad 10^{-6} \quad 10^{-12}$$

The Geostrophic Approximation and Geostrophic wind

Retaining only two bigger terms from the analysis equation, it is possible to write the first approximation geostrophic balance:

$$-fv \approx -\frac{1}{\rho} \frac{\partial p}{\partial x} \quad fu \approx -\frac{1}{\rho} \frac{\partial p}{\partial y}$$

$$\vec{V}_g \equiv \hat{\mathbf{k}} \times \frac{1}{\rho f} \nabla p$$

This equation is diagnostic (no reference to time) and allows the definition of geostrophic wind as balance between Coriolis and pressure gradient forces.


Geostrophic Wind

Winds aloft (above ~1000 m) flowing in a straight line, a balance between 2 forces:

Pressure gradient force (PGF)

Coriolis 'force' (CF)


A wind that begins to blow across the isobars is turned by the Coriolis 'force' until Coriolis 'force' and PGF balance



Geostrophic Wind



Above the level of friction, air initially at rest will accelerate until it flows parallel to the isobars at a steady speed with the pressure gradient force (PGF) balanced by the Coriolis force (CF).

Wind blowing under these conditions is called geostrophic.




The isobars and contours on an upper-level chart are like the banks along a flowing stream. When they are widely spaced, the flow is weak; when they are narrowly spaced, the flow is stronger.

The increase in winds on the chart results in a stronger Coriolis force (CF), which balances a larger pressure gradient force (PGF).



Geostrophic Flow at 500 mb

When the flow is parallel to approximately straight height lines, the flow is geostrophic.




what determines the strength of the geostrophic flow?

The magnitudes of The Pressure Gradient Force

Geostrophic wind

In the absence of any other "forces", the Coriolis force balances the PGF and the flow is steady.

This is called the *Geostrophic Wind*. On a weather map, say at 500 mb, the wind vectors are usually parallel to the contours, and the flow around a cyclone is anticlockwise in the NH.



Approximate Prognostic Equation

To obtain prediction equation it is necessary to retain also acceleration term. The resulting approximate horizontal equations can be written as:

$$\frac{du}{dt} = fv - \frac{1}{\rho} \frac{\partial p}{\partial x} = f(v - v_g)$$

$$\frac{dv}{dt} = -fu - \frac{1}{\rho} \frac{\partial p}{\partial y} = -f(u - u_g)$$

Since acceleration terms in above equations are proportional to the difference between the actual wind and the geostrophic wind,

The Rossby Number

The Rossby Number is a dimensionless number used in describing geophysical phenomena in the oceans and atmosphere.

It characterises the ratio of inertial forces in a fluid to the fictitious forces arising from planetary rotation.

$$R_o \equiv \frac{U^2/L}{f_0 U} = \frac{U}{f_0 L}$$

When the Rossby number is large (such as in the tropics and at lower latitudes), the effects of Planetary rotation are unimportant and can be neglected.

When the Rossby number is small ($R_o \ll 1$), then the effects of planetary rotation are large and the geostrophic approximation is valid.